





WESTSING METAL PRODUCTS CO.,LTD
Metal Products Supply
WESTSING INTERNATIONAL LTD



PROFESSIONAL LADDER



PICC
中國人保



ISO9001 EN 131

WESTSING

TELESCOPIC LADDER



High strength plastic



Release for safety locks

Optional accessories



Strong anti-trip hook





Portable auxiliary wheel



Curved internal grooves

01



SPECIFICATION



ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	N.W/G.W(kgs)	Packing size(cm)
LM2.0	7	46	69	200	4.7/5.2	47.5x8.5x71
LM2.6	9	47	75	260	6.2/6.9	47.5x8.5x77.5
LM2.9	10	47	78	290	7.2/7.9	47.5x8.5x80.5
LM3.2	11	48	81	320	8.2/8.8	47.5x8.5x83
LM3.8	13	48	87	380	10.2/10.9	48.5x8.5x89.5
LM4.1	14	49	90	410	11.5/12.2	49x9x92
LM4.4	15	49	93	440	12.6/13.3	49.5x9x95
LM5.0	13	48	98	500	12.2/12.9	49x9x101
LM5.4	14	48	102	540	14.4/15.1	49x9.5x104
LM5.8	15	49	105	580	15.9/16.6	49x9.5x107
LM6.2	16	49	108	620	16.4/17.1	49x9.5x110

Optional accessories



Portable auxiliary wheel



Removable tool bag

WESTSING

DOUBLE SIDED TELESCOPIC LADDER



02

SPECIFICATION



ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	N.W/G.W(kgs)	Packing size(cm)
LM1.4+1.4	2x4	46	62	140	7/7.7	46x14.5x64
LM2.0+2.0	2x7	47	67.5	200	9.4/10.1	46x13x69.5
LM2.6+2.6	2x9	48	74	260	12.9/13.6	47x14x76
LM3.2+3.2	2x11	48	80	320	16.7/17.4	47.5x15.5x82
LM3.8+3.8	2x13	48	85.5	380	21.5/22.2	48.5x17x87.5
LM4.1+4.1	2x14	49	88	410	23.3/24	48.5x17x90
LM4.4+4.4	2x15	49	90.5	440	25.3/26	48.5x17x92.5



Folding joints



Folding joints



Release for safety locks



CONSTRUCTION
AND BUILDING



FACTORY
AND WORKSHOP



HOME
AND GARDEN




DECORATION



VEHICLE
CLEANING

03




SPECIFICATION

ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	D(cm)	N.W/G.W(kgs)	Packing size(cm)
LMH1.6+1.6	2x5	49	81	153	320	11.1/12	49*15*82.5
LMH1.9+1.9	2x6	49	84	184	380	12.9/14	49*16*85.5
LMH2.2+2.2	2x7	49	87	207	440	14.9/16	49*16.5*88.5
LMH2.5+2.5	2x8	49	90	244	500	17/18	49*17.5*94
LMH2.8+2.8	2x9	49	93	270	560	19/21	49*18*96
LMH3.1+3.1	2x10	49	95.5	290	620	21/23	49*19*98



Folding joints



Anti-slip foot guard

WESTSING

MULTI-PURPOSE LADDER WITH SMALL JOINT




- 
 CONSTRUCTION
AND BUILDING
- 
 FACTORY
AND WORKSHOP
- 
 HOME
AND GARDEN
- 
 DECORATION
- 
 VEHICLE
CLEANING



04

SPECIFICATION



ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	F(cm)	G(cm)	N.W(kgs)	Packing size(cm)
型号	步数	尺寸A(cm)	尺寸B(cm)	尺寸C(cm)	尺寸D(cm)	尺寸E(cm)	尺寸F(cm)	尺寸G(cm)	产品净重	包装尺寸
LC4*2	4x2	121	91	250	67	73	163	182	9.1	71x28x39
LC4*3	4x3	174	124	361	93	100	227	265	10.5	99.5x28x39
LC4*4	4x4	227	157	472	119	127	291	348	12	127x28x39
LC4*5	4x5	280	190	583	145	154	355	431	13.4	155x28x39

WESTSING

MULTI-PURPOSE LADDER WITH BIG JOINT



Folding joints




Multi-function platform can standing for work when using as scaffolding

05



SPECIFICATION



ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	F(cm)	G(cm)	N.W(kgs)	Packing size(cm)
型号	步数	尺寸A(cm)	尺寸B(cm)	尺寸C(cm)	尺寸D(cm)	尺寸E(cm)	尺寸F(cm)	尺寸G(cm)	产品净重	包装尺寸
LC4*2 (BJ)	4x2	119.5	82	243	68	70	152	183	10.3	70x26.5x38.5
LC4*3 (BJ)	4x3	173	118	355	94	97.5	220	267	11.8	98x26.5x38.5
LC4*4 (BJ)	4x4	226.5	154	467	120	125	288	351	13.3	126x26.5x38.5
LC4*5 (BJ)	4x5	280	190	579	146	146	356	435	14.8	154x26.5x38.5



CONSTRUCTION
AND BUILDING



FACTORY
AND WORKSHOP



HOME
AND GARDEN



DECORATION



VEHICLE
CLEANING



06

SPECIFICATION



150kg



ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	F(cm)	G(cm)	N.W(kgs)	Packing size(cm)
型号	步数	尺寸A(cm)	尺寸B(cm)	尺寸C(cm)	尺寸D(cm)	尺寸E(cm)	尺寸F(cm)	尺寸G(cm)	产品净重	包装尺寸
LM4*2(WB)	4x2	121.5	86	246	70.5	70.5	160.5	182	8.51	28x56x72
LM4*3(WB)	4x3	173	122	358	98.5	98	230	264	9.94	28x56x99
LM4*4(WB)	4x4	227	159	470	126.5	125	300	344	11.38	28x56x126
LM4*5(WB)	4x5	280	195	582	154.5	152.5	374	420	12.86	28x56x154


 ANTI-SLIP
SAFETY FOOT PAD

 STURDY-USE
ACCESSORIES

 FOLDABLE
CONNECTING ROD

 NYLON STRAP
FOR BUNDLING


JOINT HEAD



QUICK CLOSE BELT

07


THICKENED VERSION


STANDARD VERSION


ITEM NO	STEP NO	STEP DISTANCE (CM)	OPEN SIZE (CM)	N.W./G.W. (KG)	PACKINGSIZE (CM)
LG0203	2X3	30	113X93X44.5	4.5/5.4	124X13X9
LG0204	2X4	30	142X114X44.5	5.3/6.3	154X13X9
LG0205	2X5	30	171X136X44.5	6.6/7.6	185X13X9
LG0206	2X6	30	200X160X44.5	7.8/8.8	214X13X9

FRP MULTIFUNCTIONAL ENGINEERING LADDER SERIES



Joint insurance



Anti-slip foot guard



CONSTRUCTION
AND BUILDING



FACTORY
AND WORKSHOP




HOME
AND GARDEN



DECORATION



VEHICLE
CLEANING



08

SPECIFICATION



ITEM NO.	OPEN SIZE	USE HEIGHT	STEP HEIGHT	PACKING SIZE	MAX LOAD	N.W.	QTY	40HQ/20GP
型号	展开尺寸(cm)	使用高度(cm)	踏步间距(cm)	包装尺寸(cm)	承重(kg)	净重(kg)	台/箱	装箱数量
LC4*3(FBG)	360x12x62	360	28	99x27x38	150	14.7	1	770/320
LC4*4(FBG)	472x12x62	472	28	127x27x38	150	17.0	1	600/250
LC4*5(FBG)	584x12x62	584	28	155x27x38	150	19.3	1	490/200
LC4*6(FBG)	696x12x62	696	28	183x27x38	150	21.6	1	420/170

FIBERGLASS EXTENSION LADDER WITH ROPE

EN131 SGS


- Conforms to EN131 Standard & SGS Standard
- Made from high strength fiberglass material with 3.0mm thickness.
- Extension design, can be up & down through adjust the lock hook.
- Strong tube lock & new design anti-skid steel feet.
- Fit for high space work & fit for electric field work.




Safety Interlock



Reinforcement Supports



D Type Rung



Strong Tube Lock



V Shape Hook



Anti-skid Steel Feet

Optional Accessories

Optional Colour



09

info



SPACING BETWEEN STEPS
30cm

Item No	No. of Step	W1/W2 (cm)	H(cm)	H1(cm)	G.W (k.g)	Packing Size (cm)	40HQ(pcs)
FBR2*8	2X8	43.5/40.5	251	400	14.3	252X44X16.5	340
FBR2*10	2X10	43.5/40.5	308	520	16.5	310X44X16.5	255
FBR2*12	2X12	43.5/40.5	370	640	19.7	371X44X16.5	255
FBR2*14	2X14	43.5/40.5	430	760	22.0	432X44X16.5	170
FBR2*16	2X16	43.5/40.5	486	880	24.6	488X44X16.5	170
FBR2*18	2X18	43.5/40.5	545	1000	27.1	547X44X16.5	170
FBR2*20	2X20	43.5/40.5	608	1120	29.5	610X44X16.5	85

SIMPLE SIDE FIBERGLASS FOLDING STEP LADDER

EN131 SGS

- Conforms to EN131 Standard & SGS Standard
- Made from high quality fiberglass material with 3.0mm thickness.
- Insulating design, fit for electric work use.
- Front side climb, back side only for support use.
- High quality, each step with support bars.
- Top with multi hole tool box, bottom with anti-skid feet.

Optional Accessories




Multi Hole Tool Box



Side Tool Tray


Optional Colour



Fortified Support Bar



Anti-skid Feet



Multi Hole Tool Box



Connect Belt



Fortified Support Bar

10

info



MAX LOAD
150KG

SPACING BETWEEN STEPS
30cm

Item No.	No. of Step	W(cm)	W1(cm)	H(cm)	G.W.(kg)	Packing Size(cm)	40HQ(pcs)
FBH0203	3	32.5	41	90	4.64	96*41*14.5	1346
FBH0204	4	32.5	44	120	6.05	126*44*14.5	1000
FBH0205	5	32.5	47	150	6.87	156*47*14.5	777
FBH0206	6	32.5	50	180	8.43	186*50*14.5	625
FBH0207	7	32.5	53	210	9.69	216*53*14.5	518
FBH0208	8	32.5	56	240	11.02	246*56*14.5	440
FBH0209	9	32.5	59	270	12.22	276*59*14.5	380
FBH0210	10	32.5	62	300	13.40	306*62*14.5	330
FBH0211	11	32.5	65	330	14.54	336*65*14.5	292
FBH0212	12	32.5	68	360	15.66	366*68*14.5	260

2 SECTION EXTENSION LADDER SERIES




Safety lock



Lock

11



ITEM NO	Step No	A-Frame Height(mm)	Max Open Length(mm)	Inside Width(mm)	Oustide Width(mm)	N.W (k.g)	PS(cm)
LYT2*6	2X6	1720	2560	390	450	6.6	172X45X15
LYT2*7	2X7	2000	3120	390	450	7.5	200X45X15
LYT2*8	2X8	2280	3680	390	450	8.4	228X45X15
LYT2*9	2X9	2560	4240	390	450	9.3	256X45X15
LYT2*10	2X10	2840	4800	390	450	10.2	284X45X15
LYT2*11	2X11	3120	5360	390	450	11.1	312X45X15
LYT2*12	2X12	3400	5920	390	450	12	340X45X15



Safety groove



Anti-slip foot guard

WESTSING


3 SECTION EXTENSION LADDER SERIES



- 
 CONSTRUCTION
AND BUILDING
- 
 FACTORY
AND WORKSHOP
- 
 HOME
AND GARDEN
- 
 DECORATION
- 
 VEHICLE
CLEANING



SPECIFICATION




ITEM NO	Step Height(mm)	A-Frame Height(mm)	Max Freestanding Height(mm)	Max Extended Ladder Length(mm)	Ladder Width(mm)	N.W (k.g)	PS(cm)
LYT3*6	280	1652	2430	3339	450	9.25	172X45X16
LYT3*7	280	1910	3000	4250	450	10.5	200X45X16
LYT3*8	280	2190	3550	5090	450	11.8	228X45X16
LYT3*9	280	2370	3920	5720	450	13.05	256X45X16
LYT3*10	280	2682	4600	6744	450	14.32	282X45X16
LYT3*11	280	2968	5131	7588	450	15.5	310X45X16
LYT3*12	280	3256	5662	8432	450	16.7	338X45X16



Joint insurance



Anti-slip foot guard



Pull out on both sides to adjust the use height

13



SPECIFICATION



ITEM NO	Step No	Step Height(mm)	Step Ladder Height(mm)	Extension Height(mm)	N.W (k.g)	PS(cm)
LYG4*3	4X3	280	939-1785	1889-2981	8.9	96*49*22
LYG4*4	4X4	280	1202-2030	2442-4108	11.1	124*56*23
LYG4*5	4X5	280	1465-2275	2995-5235	12.95	152*63*24
LYG4*6	4X6	280	1704-2773	3486-5726	15.75	170*73*28

Standing Step Ladder



LS-0103



LS-0104



LS-0105



LS-0106



PT-001



PT-002



PT-003



PT-004

▶ Sturdy Step

▶ Anti-slip feet

▶ wide and Anti-slip platform

▶ Strong linkage support



Item No	Step height (mm)	Length (mm)	Width (mm)	Height (mm)	Height of top step (mm)	N.W (k.g)	Folded Size (cm)
LS-0103	233	700	423	1200	600	3.50	131X43X12
LS-0104	233	850	446	1420	820	4.00	153X45X12
LS-0105	233	1010	470	1640	1040	4.70	177X47X12
LS-0106	233	1160	493	1857	1257	5.50	202X48X13
LS-0107	233	1300	520	2080	1480	6.30	224X51X13
LS-0108	233	1480	540	2300	1700	7.00	246X53X13



Non-slip pedal



Anti-slip foot guard

An optional step



15



SPECIFICATION



ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	D(cm)	N.W/G.W(kgs)	Packing size(cm)
型号	步数	尺寸A(cm)	尺寸B(cm)	尺寸C(cm)	尺寸D(cm)	产品毛/净重	包装尺寸
DBT0103	3	117	64	48.5	73	3.1	128*50*29CM 5PCS/BOX
DBT0104	4	143	81	51	97	4.1	151*53*29CM 5PCS/BOX
DBT0105	5	167	102	54	121	5.2	174*55*29CM 5PCS/BOX
DBT0106	6	190	119	57	145	6.1	204*59*29CM 5PCS/BOX



Anti-slip platform



Anti-slip foot guard

WESTSING

HOUSEHOLD LADDER



SPECIFICATION







ITEM NO.	NO. of step	A(cm)	B(cm)	C(cm)	D(cm)	N.W/G.W(kgs)	Packing size(cm)
型号	步数	尺寸A(cm)	尺寸B(cm)	尺寸C(cm)	尺寸D(cm)	产品毛/净重	包装尺寸
LY0102	2	90	50	38	38.5	2.01	100*22*32 2PCS/BOX
LY0103	3	110	65	40.5	58.5	2.45	120*22*33 2PCS/BOX
LY0104	4	130	80	43	78.5	2.88	140*22*34 2PCS/BOX
LY0105	5	150	95	46	98.5	3.32	160*22*35 2PCS/BOX
LY0106	6	170	110	48.5	118.5	3.79	180*22*36 2PCS/BOX
LY0107	7	190	125	51	138.5	4.37	200*22*38 2PCS/BOX
LY0108	8	210	140	53.5	158.5	4.86	220*22*40 2PCS/BOX


TJ0102

TJ0103

TJ0104

-  **strong connection**
-  **safety lock**
-  **Protective handgrip**

-  **Large and Anti-slip Platform**



ITEM NO	Step No	Length(mm)	Width(mm)	Height(mm)	Height of top step	N.W (k.g)	PS(cm)
TJ0102	2	490	470	900	470	4.50	99*28*47cm/4PCS
TJ0103	3	650	470	1150	720	6.60	128*28*47cm/4PCS
TJ0104	4	840	470	1400	970	8.00	152*28*47cm/4PCS
TJ0105	5	970	470	1650	1220	9.40	179*28*47cm/4PCS
TJ0106	6	1130	470	1900	1470	10.6	206*28*47cm/4PCS


DETAIL ANALYSIS


**ANTISLIP
PEDAL**

**MECHANICAL
FIXATION**

**MORE STABLE
FIXTURES**

**NON SLIP
FOOT PAD**

ITEM NO	STEP NO	OPEN HEIGHT (CM)	N.W./G.W. (KG)	PACKINGSIZE (CM)
DBT0203	3	90	3.3	90x(34.5/34.4)x15.5
DBT0204	4	120	4.2	120x(34.5/38.0)x15.5
DBT0205	5	150	4.9	150x(34.5/41.6)x15.5
DBT0206	6	180	5.8	180x(34.5/45.2)x15.5
DBT0207	7	210	6.5	210x(34.5/48.8)x15.5
DBT0208	8	240	7.7	240x(34.5/52.4)x15.5
DBT0209	9	270	8.4	270x(34.5/56.0)x15.5
DBT0210	10	300	9.2	300x(34.5/59.6)x15.5
DBT0211	11	330	10.1	330x(34.5/63.2)x15.5
DBT0212	12	360	11.0	360x(34.5/66.8)x15.5




19

ITEM NO	Step Height (mm)	Length (mm)	Width (mm)	Height (mm)	N.W (k.g)	Folded Size (cm)
LS0203	305	462	817	1167	3.48	46.2X15X122CM
LS0204	305	500	990	1460	4.2	50X15X152CM
LS0205	305	538	1167	1752	5.05	53.8X15X183CM
LS0206	305	574	151	2047	5.85	57.4X15X213.5CM
LS0207	305	610	1510	2340	6.8	61X15X244CM



ITEM NO.	STEP HEIGHT (CM)	LENGTH (CM)	WIDTH (CM)	HEIGHT (CM)	NET WEIGHT (KGS)	PACKINS SIZE (CM)
LSFG0203+1 (3steps+1tray)	28	45	16	114	5.4kg	45x16x114cm
LSFG0204+1 (4steps+1tray)	28	49	16	145	6.1kg	49x16x145cm
LSFG0205+1 (5steps+1tray)	28	52	16	171	7.6kg	52x16x171cm
LSFG0206+1 (6steps+1tray)	28	55	16	198	8.4kg	55x16x198cm
LSFG0207+1 (7steps+1tray)	28	59	16	225.7	10.1kg	59x16x225cm

DETAIL ANALYSIS



ANTI SLIP STRIPS




FOLDABLE FOOT DESIGN

ACCESSORIES



20



ITEM NO	A (CM)	B (CM)	C (CM)	D (CM)	E (CM)	N. W. (KG)	PACKINGSIZE (CM)	PACKINGSIZE (cm)
LY0201	38	26	18	46	33	2.1	32*8*44(1PCS/CTN)	57*44*29(10PCS/CTN)